



EUREKA FORBES 
Your friend for life

PRO AUTO SCRUB RANGE FOR A PRODUCTIVE, CLEAN & HEALTHY WORK ENVIRONMENT.



Pro Auto Scrub Walk Behind Range

Pro Auto Scrub 35

Pro Auto Scrub 35 is a small walk behind scrubbing machine ideal for easy automation of mop cleaning systems. Results are immediately evident, cleaning times and running costs are drastically reduced. This is the only scrubbing machine that scrubs and dries perfectly even on bends without having to keep on a straight line.

Around corners and along walls

- Designed with a handle bar which ensures 180° degree flexibility
- Effortless cleaning around corners avoiding complex manoeuvres
- Folding down the handle bar for greater ease of transport and storage
- Easy low level cleaning (under desks & tables)



Pro Auto Scrub 35 B

Pro Auto Scrub 35 E

Technical Specifications	Pro Auto Scrub 35 B	Pro Auto Scrub 35 E
Auto Scrubbing Width	350 mm	350 mm
Brush Diameter	1 no x 350 mm	1 no x 350 mm
Brush Pressure	20 kg	18 kg
Productivity	1000 sqm/hr	800 sqm/hr
Solution Tank	10 ltrs	8 ltrs
Recovery Tank	10 ltrs	10 ltrs
Brush Speed	140 rpm	140 rpm
Voltage	12V/250w	220-230V/50-220W
Operating Weight Without Batteries	42 kg	35 kg
Battery	1noX12V/80Ah@C20	-
Dimensions (LXHXW)	682x1115x440 mm	650x1050x440 mm

Pro Auto Scrub Walk Behind Range

Pro Auto Scrub ES 51

The Pro Auto Scrub ES 51 B and E is specially designed for professionals like cleaning contractors and facility management. Its sturdy body and squeegee maximize durability of the machine while ensuring top cleaning performance in its category. Available in cord electric and battery versions

Pro Auto Scrub ES 51



Pro Auto Scrub 55

The Pro Auto Scrub 55 B and E is for medium size areas and provides superior productivity and great cleaning results. It is recommended for maintenance cleaning operations, as well as for floors with stubborn residue. Its designed to meet the needs of demanding customers that require high productivity, low management costs and user friendliness

Pro Auto Scrub 55



Pro Auto Scrub Walk Behind Range

Technical Specifications	Pro Auto Scrub ES 51 E	Pro Auto Scrub ES 51 B	Pro Auto Scrub 55 E	Pro Auto Scrub 55 B
Auto Scrubbing width (mm)	510	510	510	510
Brush Diameter (mm)	510	510	510	510
Brush Pressure (Kg)	25	25	25	25
Productivity (m2/hr)	2000	2000	2000	2000
Solution Tank (L)	45	45	55	55
Recovery Tank (L)	50	50	65	65
Brush Speed (RPM)	135	200	135	200
Voltage (V) / Battery	230 V / 50 Hz	2 X 12V/115Ah@C20	230 V / 50 Hz	2 X 12V/115Ah@C20
Approx Weight without batteries (Kg)	82	78	83	80
Dimensions (mm)	1235 x 615 x 975	1235 x 615 x 975	1280 x 615 x 1040	1280 x 615 x 1040

Pro Auto Scrub Ride On Range

Pro Auto Scrub R 56 B & Pro Auto Scrub R 85 B

Add value to your investment by choosing a scrubbing machine that lowers management and usage costs throughout its life-cycle

Features

- Requires little maintenance
- Built with top quality Materials
- Uses waste-reducing technologies
- Scrubs more square meters in the same time
- Can be used anywhere, at any time
- Comfortable, safe and user-friendly

Ergonomic steering wheel with controls and display Steering is light and smooth, so it can be manoeuvred and used in even the most congested areas and the narrowest passages with the minimum effort.



Pro Auto Scrub R 56 B



Pro Auto Scrub R 85 B



Pro Auto Scrub R 850 B

Technical Specifications	Pro Auto Scrub R 56 B	Pro Auto Scrub R 85 B	Pro Auto Scrub R 850 B
Working Width	560 mm	835 mm	845 mm
Brushes	1no x 560 mm	2no x 430 mm	2no x 430 mm
Brushes Pressure	23 Kgs	51 Kgs	30/60 Kgs
Squeegee width	703-799 mm	1045 mm	1105 mm
Solution tank	70 Ltrs	150 Ltrs	110 Ltrs
Recovery tank	70 Ltrs	170 Ltrs	125 Ltrs
Productivity	3000 sqm/hr	5000 sqm/hr	5100 sqm/hr
Brush Motor	24V/450W	2nos x 48V/450W	24V/500W
Suction Motor	24V/310W	48V/300W	24V/410W
Traction Motor	24V/300W	48V/500W	24V/400W
Forward speed	0 to 5.5 km/hr	0 to 6 km/hr	0 to 6 km/hr
Batteries	2nosX12V/115Ah@C20	4nos X 6V/115Ah@C20	4nos X 6V/225Ah@C20
Operating Weight Without Batteries	110 kg	170 kg	223 kg
Dimensions (LxHXW)	1265x1030x600 mm	1350x1360x650 mm	1510x1320x855 mm

Heavy Duty Pro Auto Scrub Ride on Range

A comprehensive range of scrubbing machines suitable for maintenance cleaning and hard cleaning of any surface.

Pro Auto Scrub R 100 B*

- Automatically fills the solution tank
- Easy cleaning of the machine with the new squeegee system that can be rotated into horizontal position
- User-friendly instrument panel with all the controls at hand
- Guarantees a uniform distribution of the detergent solution on both brushes, assuring a homogeneous cleaning result



Pro Auto Scrub R 100 B

Technical Specifications	Pro Auto Scurb R 100 B
Working Width	1000 mm
Disc Brushes	2 nos x 510 mm
Brushes Pressure	60 kg
Disc Brush Speed	160 rpm
Productivity	6270 sqm/hr
Squeegee width	1265 mm
Solution Tank	170 Ltrs
Recovery Tank	175 Ltrs
Disc Brush Motor	36V/900-1500W
Suction Motor	36V/670W
Traction Motor	36V/900W
Suction vacuum	190 mbar
Forward speed	0-6 km/hr
Operating Weight without Batteries	393.5 kg
Batteries	36V/180Ah@C5
Dimensions (LxHXW)	1740x1400x1053 mm

Pro Auto Scrub R 130*

- **Pro Auto Scrub R 130** comes with four disc brushes for effective floor scrubbing thanks to adjustable brush pressure up to 180 kg and with a cylindrical brush to collect dirt into a special removable hopper.
- Large tank capacity this implies less "pit stops" for the operator and higher productivity
- The powerful suction motor and the V-shaped squeegee that follows the machine in all situations ensure perfect drying results
- Machine is designed to ensure maximum operator safety and perfect driving visibility



Pro Auto Scrub R 130 B



Pro Auto Scrub R 130 D

Technical Specifications	Pro Auto Scrub R 130 B	Pro Auto Scrub R 130 D
Working Width	1300 mm	1300 mm
Disc Brushes	4 nos x 345 mm	4 nos x 345 mm
Brushes Pressure	130-180 kg	130-180 kg
Cylindrical Brush	1 x (300x1100mm)	1 x (300x1100mm)
Disc Brush Speed	220 rpm	220 rpm
Cylindrical Brush Speed	580 rpm	580 rpm
Productivity	7800 sqm/hr	7800 sqm/hr
Squeegee width	1460 mm	1460 mm
Solution Tank	360 Ltrs	360 Ltrs
Recovery Tank	380 Ltrs	380 Ltrs
Disc Brush Motor	36v/1125W (2)	36v/1125W
Cylindrical Brush Motor	36v/750W	36v/750W
Suction Motor	36v/1170W	36v/1170W
Traction Motor	36v/2000W	36v/2000W
Suction vacuum	221 mbar	221 mbar
Forward speed	0-6 km/hr	0-8 km/hr
Operating Weight without Batteries	840-1100 kg	840-1100 kg
Batteries (B) / Endothermic Engine (D)	36v/720Ah@C20	Diesel Engine 3 Cylinders/19.5Kw
Dimensions (LxHXW)	2250x1880x1340 mm	2250x1880x1340 mm

*Product and price will be available on request

Technical specification and aesthetics are subject to change without prior notice due to continuous product improvement



EUREKA FORBES 
Your friend for life

Pro Disc Range For A Productive, Clean & Healthy Work Environment



A comprehensive range of *Pro Disc* Scrubbers suited for a variety of applications like Scrubbing, Buffing, Crystallization, Honing & Burnishing with a sturdy design, planetary gear system and suitable for all floor care techniques



Pro Disc 33

Specifications

Working Width: 330 mm
 Net Weight (Without Tank): 33 kg
 Brush Speed: 155 rpm
 Transmission: Gear Box
 Voltage: 230 V
 Frequency: 50 Hz
 Motor: 1100 W
 Protection Grade: IPX4
 Cable Length: 15 m
 Dimensions in mm (LXBXH): 515 x 370 x 1155



Pro Disc 43 ES

Specifications

Working Width : 430 mm
 Net Weight (Without Tank): 50 kg
 Brush Speed : 150 rpm
 Transmission : Gear Box
 Voltage : 230 V
 Frequency : 50 Hz
 Motor : 1100 W
 Cable Length : 15 m
 Dimensions in mm (LXBXH):560 x 440 x 1210
 Tank Capacity : 10L



Pro Disc 50

Specifications

Working Width: 500 mm
 Net Weight (Without Tank): 43 kg
 Brush Speed: 155 rpm
 Transmission: Gear Box
 Voltage: 230 V
 Frequency: 50 Hz
 Motor: 1800 W
 Protection Grade: IPX4
 Cable Length: 15 m
 Dimensions in mm (LXBXH): 644 x 523 x 1200



Pro Disc 43 D*

Specifications

Working Width: 430 mm
 Net Weight (Without Tank): 40 kg
 Brush Speed: 180/400 rpm
 Transmission: Belt Drive
 Voltage: 230 V
 Frequency: 50 Hz
 Motor: 1100/1400 W
 Protection Grade: IPX4
 Cable Length: 15 m
 Dimensions in mm (LXBXH): 562 x 450 x 1201



Pro Disc 1500 B

Specifications

Working Width: 500 mm
 Net Weight (Without Tank): 36 kg
 Brush Speed: 1500 rpm
 Transmission: Direct Motor
 Voltage: 230 V
 Frequency: 50/60 Hz
 Motor: 1100 W
 Protection Grade: IPX4
 Cable Length: 15 m
 Dimensions in mm (LXBXH): 647 x 542 x 1210

Accessories

Standard Accessories

- Brush
- Pad Holder
- 15 Litre Tank



Optional Accessories

- Shampoo Brush
- Scrubbing / Polishing Pads



Technical specifications and aesthetics are subject to change without prior notice due to continuous product improvement

**Product and price will be available on request*

**PRO VAC DRY RANGE
COMMERCIAL DRY VACUUM CLEANERS**

Specialised solution for picking up all dry debris and dusts. Equipped with paper bags for easy collection and disposal. Ergonomic design and sturdy body enables it to be used on all commercial and professional applications. There are possible options available for filtration like paper bag, dust bag and HEPA filter.



Technical Specifications	Pro Vac Power	Pro Vac Back	Pro Vac UV	Pro Vac Back NEO
Rated Power	1200 W	1000 W	1100 W	1200 W
Air Flow	37 LPS	26 LPS	26 LPS	30 LPS
Vacuum	29 kPa	25 kPa	25 kPa	24 kPa
Dust Bag/ Tank Capacity	10 Ltrs	6.5 Ltrs	6.5 Ltrs	5L/4L
Weight	6.2 Kg	4.5 Kg	8 Kg	5.5/6 Kg
Dimensions mm (LXWXH)	320x320x340	170x220x700	-	270x240x530
Sound pressure level	55 db (A)	66 db (A)	68 db (A)	70 dB (A)
Voltage	220 V	220 V	220 V	Ac 220 V or 110 V option



EUREKA FORBES
Your friend for life

**PRO VAC COMMERCIAL RANGE FOR A PRODUCTIVE,
CLEAN & HEALTHY WORK ENVIRONMENT**



EUREKA FORBES
Your friend for life

**B1/B2, 701, Marathon NextGen, Marathon Innova, Off Ganpatrao Kadam Marg,
Lower Parel, Mumbai - 400 013.**
Tel: +91 2248821700, 62601888 | Fax: +912230449701 | forbespro.eurekaforbes.com

**Products and price will be available on request
Technical specifications and aesthetics are subject to change without
prior notice due to continuous product improvement*

**PRO VAC WET & DRY RANGE
COMMERCIAL WET & DRY VACUUM CLEANERS**

Sturdy and reliable wet and dry vacuum cleaners, built to last with simple & low maintenance costs. Single phase vacuum cleaners for picking liquid and light dust, with high degree of sturdiness and mobility

Features

- Ergonomic design with a sturdy frame
- High suction & air flow capacity
- Ametek motor for high quality performance
- Stainless steel body for durability
- Twin motor option (*Pro Vac WD 77*)
- Tip & pour tank configuration that is easy to handle
- Low maintenance costs
- Wide range of accessories includes crevice tools, carpet tools, floor tools, upholstery tools and round bristle brush



Technical Specifications	<i>Pro Vac WD 20</i>	<i>Pro Vac WD 35</i>	<i>Pro Vac WD 77</i>
Voltage	230-240V/50Hz	230-240V/50 Hz	230-240V/50 Hz
Power	1350 W	1350 W	2700 W
Motor	Ametek	Ametek	Ametek
No of Motor	1	1	2
Airflow	54 LPS	54 LPS	54/108 LPS
Suction Power	22 kPa	22 kPa	22kPa
Tank Volume	20 Ltrs	35 Ltrs	77 Ltrs
Dimensions cm (LxWxH)	36x36x57	36x36x76	51x60x95
Weight	7.5 Kg	9 Kg	20 Kg

**PRO EXTRACTOR RANGE
COMMERCIAL CARPET CLEANERS**

A complete range for all types of carpet and upholstery cleaning like spotting shampooing, dry cleaning etc. Process like injection extraction dry foaming and full deep cleaning could be performed with these machines.



Pro EX 20*

A foam generating machine equipped with a vacuum system makes it an ideal solution for carpet cleaning. The dry foam allows the carpet to dry quickly.

Features

- Compact design that is ideal for cleaning narrow spaces
- Foam delivery is controlled by a button which is fitted on the brush handle

Pro EX 25



A very powerful machine suitable for spot removal and cleaning of upholstery.

Features

- Compact & versatile design
- Detachable motor with protection filter
- Wet & dry vacuuming
- High capacity tank allows a quick and continued use

Pro EX 35*



Suitable for cleaning mid-sized carpeted areas. With this machine it is possible to clean a 40cm strip of the carpet. Efficiently removes dirt from the base of carpet fibres.

**PRO EXTRACTOR RANGE
COMMERCIAL CARPET CLEANERS**

Technical Specifications	<i>Pro EX 20</i>	<i>Pro EX 25</i>	<i>Pro EX 35</i>
Voltage	230-240V/50 Hz	230-240V/50 Hz	230-240V/50 Hz
Power	1650 W	1100 W	1500 W
Motor	Ametek	Ametek	Three Stage Bypass
No of Motor	2	1	-
Airflow	59 LPS	50 LPS	45 LPS
Suction Power	25 kPa	22 kPa	34 kPa
Solution Tank	-	-	35 Ltrs
Recovery Tank	20 Ltrs	25 Ltrs	35 Ltrs
Dimensions cm (LxWxH)	72 x 34 x 64	40 x 40 x 65	42 x 104 x 96
Detergent Capacity	18 Ltrs	8 Ltrs	-
Pump Pressure	4 atm	4 atm	9 Bar
Weight	18 Kg	8 Kg	50 Kg